

151711 80

Primary course of 2 vaccinations
4 - 6 weeks apart.
Full protection develops within
14 days from the second dose.
Studies have shown duration of
immunity of 12 months is achieved by
following the recommended
vaccination program. In areas where
the risk from C. novyi type B (Black
Disease, Swelled Head in rams) is
high, seasonal boosters may be
required.

CLOSTRIDIAL VACCINE for the active
immunisation against:

- Pulpy Kidney, Enterotoxaemia
(*Clostridium perfringens* Type D)
- Blackleg (*Clostridium chauvoei*)
- Malignant Oedema (*Clostridium
septicum*)
- Black Disease, Swelled Head in
rams (*Clostridium novyi* Type B)
- Tetanus (*Clostridium tetani*)
in sheep, cattle and goats.

**COOPERS®
TASVAX® 5 in 1
VACCINE FOR
SHEEP, CATTLE AND GOATS**

FOR ANIMAL TREATMENT ONLY

**COOPERS®
TASVAX® 5 in 1
VACCINE FOR
SHEEP, CATTLE AND GOATS**

ACTIVE CONSTITUENTS:

Clostridium perfringens Type D toxoid
Clostridium chauvoei toxoid and inactivated cells
Clostridium septicum toxoid
Clostridium novyi Type B toxoid and inactivated cells
Clostridium tetani toxoid
Contains 0.15 mg./ml thiomersal as preservative.

Potency units
5.0 U/ml
Meets Ph.Eur.
2.5 U/ml
3.5 U/ml
2.5 U/ml

For the active immunisation against Pulpy Kidney, Blackleg, Malignant Oedema,
Black Disease and Tetanus in sheep, cattle and goats and Swelled Head in rams.

**12
MONTHS
PULPY KIDNEY
PROTECTION**

500ml



**COOPERS®
TASVAX® 5 in 1
VACCINE FOR
SHEEP, CATTLE AND GOATS**

**COOPERS ANIMAL
HEALTH
Intervet Australia
Pty Limited
1800 226 511**

® Registered Trademark
@ Yellow (PANTONE® 123) the predominant
colour of Coopers packaging is a Registered
Trademark. PANTONE is a registered
trademark of Pantone, Inc.

1095mm x 53mm x 29mm
LH008
PMS 123+PMS 293+Black

EXP
®

**COOPERS®
TASVAX® 5 in 1
VACCINE FOR
SHEEP, CATTLE AND GOATS**



500ml

**READ THE ENCLOSED LEAFLET BEFORE USING THIS
PRODUCT.**

DIRECTIONS FOR USE

Shake contents before use. **USE ALL PRODUCT
WITHIN 24 HOURS OF OPENING.**

DOSSAGE AND ADMINISTRATION:

Dose:

Sheep, lambs and goats: 2mL by subcutaneous
injection (under the skin).
Cattle: 4 mL by subcutaneous injection.

VACCINATION PROCEDURE

CAUTION: AVOID CARCASS DAMAGE

1. Sterilise needles by boiling for at least ten minutes
before use. Flush cooled boiled water through
vaccinator. Avoid use of strong disinfectants on
needles and vaccinator.
2. Maintain maximum cleanliness at all times.
3. Keep needles sharp and clean. Change needles
frequently (every 20-30 animals). Use short needles.
Recommended maximum sizes 15mm x 18 gauge
for sheep and goats; 15mm x 16 gauge for cattle.
4. Check that the equipment is functioning properly
and that it is delivering the correct dose.
5. As far as possible avoid injection of animals during
wet weather or under dusty conditions.
6. Inject only under the skin and not into the muscle, by
raising a fold of skin and injecting the dose under
the raised skin - **NOT INTO IT.**
7. Cattle, sheep and goats should be injected high on
the side of the neck, behind the ear.

Do not expose directly to heat and light during use.
The use of an insulated container is recommended
during the day to protect the vaccine. If it is to be
hung beside the race, ensure it is on the shady side.
WITHHOLDING PERIOD: Zero (0) days.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.

First Aid

If poisoning occurs, contact a doctor or Poisons
Information Centre. Phone Australia 131126.

Additional User Safety

Take care to avoid self-injection.

In the event of self-administration, seek medical
attention if you are concerned. Show the package
leaflet or label to the Medical Practitioner.

Additional information is listed in the Safety Data Sheet.
DISPOSE of empty container by wrapping in paper and
putting in garbage.

Store at 2 to 8°C (refrigerate, do not freeze). Protect
from light. **Keep out of reach of children.**

APVMA Approval No. 46582/63280

® EXP REFER TO BATCH AND EXPIRY ON TOP PANEL

COOPERS ANIMAL HEALTH

Intervet Australia Pty Limited
(trading as MSD Animal Health)
91-105 Harpin Street, Bendigo East VIC 3550
www.coopersanimalhealth.com.au

