

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

COOPERS[®] DIAZINON

SHEEP BLOWFLY DRESSING AND CATTLE, GOAT AND PIG SPRAY



ACTIVE CONSTITUENT: 200 g/L DIAZINON
(an anticholinesterase compound)
Solvent: 548 g/L LIQUID HYDROCARBONS

Used as a dressing for the control of Blowfly (*Lucilia cuprina*) strike on struck sheep, and as a dressing for marking wounds.

For the control of lice and buffalo fly on cattle, lice on goats, lice and mange on pigs.

20 L

163066 R4

COOPERS[®]
EST. 1843



COOPERS® DIAZINON

Sheep Blowfly Dressing and Cattle, Goat and Pig Spray

CLAIMS

A useful dressing for the control of Blowfly (*Lucilia cuprina*) strike on struck sheep, and as a dressing for marking wounds. For the control of Lice (*Bovicola bovis*, *Linognathus vituli*, *Haematopinus eurysternus*) and Buffalo Fly (*Haematobia irritans exigua*) on cattle, Lice (*Bovicola caprae*) on goats, Lice (*Haematopinus suis*) and Mange (*Sarcoptes* spp.) on pigs.

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT use this product for dipping or jetting sheep.
DO NOT use on lactating or pregnant ewes where milk or milk products may be used for human consumption.
DO NOT allow water to enter this container during use or storage.
DO NOT rinse lid with water.

Precaution

For effective control of lice on cattle, goats and pigs, thorough wetting to skin level is essential.

ANIMAL	PEST	METHOD	RATE
SHEEP	Blowfly (<i>Lucilia cuprina</i>)	Strike Dressing	5 mL per 1 L of water
Critical Comments: Shear/clip the strike wound and saturate struck area thoroughly.			
GOATS	Lice (<i>Bovicola caprae</i>)	Hand Spray	50 mL/20 L water
Critical Comments: Thoroughly wet goats with spray. A second spraying may be necessary 16-17 days later.			
CATTLE	Lice (<i>Bovicola bovis</i> , <i>Linognathus vituli</i> , <i>Haematopinus eurysternus</i>)	Hand Spray	250 mL/100 L water
Critical Comments: Spray thoroughly using 5-10 L per head. A second spraying 16-17 days later is necessary to break the life cycle of the lice. For effective control of lice on cattle, goats and pigs, thorough wetting to skin level is essential.			
PIGS	Lice (<i>Haematopinus suis</i>) and Mange (<i>Sarcoptes</i> spp.)	Hand Spray	50 mL/20 L water
Critical Comments: Thoroughly wet pigs with spray. Use three applications at 10 day intervals.			
CATTLE (WA, QLD, NSW ONLY)	Buffalo Fly (<i>Haematobia irritans exigua</i>)	Backrubber	500 mL/10 L of oil
Critical Comments: Soak backrubber thoroughly. Re-treat as necessary.			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

CATTLE: MEAT: DO NOT USE less than 3 days before slaughter for human consumption.
MILK: ZERO (0) DAYS.
SHEEP, PIGS & GOATS: MEAT: DO NOT USE less than 14 days before slaughter for human consumption.
SHEEP: DO NOT USE on lactating or pregnant ewes where milk or milk products may be used for human consumption.
GOATS: MILK: Milk taken from goats within 48 hours following treatment MUST NOT BE USED for human consumption or processing.
SHEEP: WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): CATTLE (when used as a backrubber) 10 days; (when used as a backspray) 3 days. SHEEP – DO NOT USE less than 21 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 1800 226 511 or the APVMA website (www.apvma.gov.au/residues).

Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues: adequate treatment records should be kept and made available, if requested by wool buyers.



**UN No. 3018
ORGANOPHOSPHORUS,
PESTICIDES, LIQUID, TOXIC,
N.O.S. (20% DIAZINON, 55%
LIQUID HYDROCARBONS)
Hazchem Code: 3WE
Packaging Group: III**

In a transport emergency
Dial 000
Police or
Fire Brigade

For further information contact Coopers Customer Service on 1800 226 511.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Do not discharge waste liquid into drains, dams, waterways or streams.

SAFETY DIRECTIONS

Product is poisonous. Will irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin.
Do not inhale vapour or spray mist. When opening the container and preparing spray/dressing, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat and elbow-length PVC gloves and water resistant footwear. When using the prepared spray/dressing, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat and elbow-length PVC gloves and water resistant footwear, and if excessive splashing or contamination is likely when using the prepared spray/dressing, wear waterproof clothing or cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat and PVC or rubber apron, elbow-length PVC gloves and water resistant footwear. If clothing becomes contaminated with product, remove clothing immediately. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID INSTRUCTIONS

If swallowed, splashed on skin or in eyes, contact a Poisons Information Centre. Phone Australia 131126 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

ADDITIONAL USER SAFETY INFORMATION

SHEEP RE-HANDLING INTERVAL: Six weeks. If sheep must be handled during this interval, cotton overalls buttoned to the neck and wrist (or equivalent clothing) should be worn.

Additional information is listed in the safety data sheet.

Warranty

Intervet Australia Pty Ltd (IAPL), trading as MSD Animal Health, warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by any act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.

DISPOSAL

This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple or pressure rinse container for disposal. Dispose of rinsate or any undiluted chemical according to State legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection or similar container management program site. The cap should not be replaced but may be taken separately.

STORE below 30°C (Room Temperature) in the closed original container, in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight.

SEE BELOW FOR BATCH AND EXPIRY

COOPERS ANIMAL HEALTH

Intervet Australia Pty Limited
(trading as MSD Animal Health)
91-105 Harpin Street,
Bendigo East VIC 3550
Phone: 1800 226 511

APVMA Approval No. 62353/0614

® Registered Trademark

® Yellow (PANTONE® 123) the predominant colour of Coopers packaging is a Registered Trademark. PANTONE is a registered trademark of Pantone, Inc.

GHS Information

Combustible liquid. Harmful if swallowed. May be harmful if swallowed and enters airways. Harmful if in contact with skin. Harmful if inhaled. Very toxic to aquatic life with long lasting effects. For additional information refer to SDS (www.coopersanimalhealth.com.au).



20 L



199146 R2