

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY**

**COOPERS<sup>®</sup> GOLD**

**SPRAY-ON OFF-SHEARS SHEEP LICE TREATMENT**



**ACTIVE CONSTITUENT: 93.3 g/L DIAZINON  
(an anticholinesterase compound)**

For off-shears control of OP susceptible and  
SP resistant strains of the Sheep Body Louse  
(*Bovicola ovis*).

**20 L**

193624 R2

**COOPERS<sup>®</sup>**  
EST. 1843 

# COOPERS® GOLD

## SPRAY-ON OFF-SHEARS SHEEP LICE TREATMENT

For off-shears control of OP susceptible and SP resistant strains of the Sheep Body Louse (*Bovicola ovis*).

### DIRECTIONS FOR USE

#### Restraints

**DO NOT USE more than 24 hours after shearing.**

**DO NOT USE on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.**

#### Dosage and administration

**THIS PRODUCT MUST BE DILUTED BEFORE USE.**

**USE DILUTED PRODUCT WITHIN 3 DAYS OF MIXING.**

**MIXING:** Ensure container is clean before mixing product – triple rinse. Mix 1 part of COOPERS GOLD to 6 parts of clean water according to the following table:

COOPERS GOLD SPRAY-ON OFF-SHEARS SHEEP LICE TREATMENT (Litres)	Clean water (Litres)	Ready-to-use Diluted product (Litres)	Number of 50 kg sheep treated
1	6	7	46
5	30	35	233
10	60	70	466
20	120	140	933

DOSE RATES USING THE DILUTED PRODUCT:

### CRITICAL USE COMMENTS

Sheep should be weighed before treatment and where necessary, treated in separate groups based on their bodyweight.


Dose rates are based on the heaviest sheep in the mob. Do not under dose.

Use only on sheep that have been cleanly shorn.

Avoid treating ewes less than 6 weeks before lambing commences, while ewes are lambing or have lambs at foot, as live lice can persist and infect the lambs.

Treated sheep must not be mixed with untreated sheep.

Not to be used on animals that are severely stressed or are in poor health.

Animal	Pest	Bodyweight (kg)	Dose rate (mL of diluted product)	Additional critical use comments	
Sheep	Sheep Body Louse ( <i>Bovicola ovis</i> )	6 - 10	30	1. Apply a single wide band from the neck just behind the ears to the butt of the tail. (See diagram) 2. Use only the recommended applicator. 3. Do not use on sheep less than 6 kg liveweight.	
		11 - 20	60		
		21 - 30	90		
		31 - 40	120		
		41 - 50	150		
		51 - 60	180		
		61 - 70	210		
71 - 75	225				
Sheep in excess of 75 kg bodyweight to be dosed at 3 mL per kg					

### General directions

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

- Shake well and thoroughly mix before and during use.
- Use a 150 mL Powerdoser fitted with the recommended T-bar to apply the product. (see applicator instructions for details of use).
- Apply the product only to sheep which are contained inside a narrow sheep race.
- When applying the product, the operator should be standing outside the sheep race.
- Press the trigger with the spray wand held above the neck just behind the ears and move along the backline to the butt of the tail.  
(It is important that as wide a band as possible be applied to the neck and back). Failure to evenly distribute the dose in a wide band may result in failure to control lice.  
Lower the wand to apply a band on the neck, and then raise the wand to apply the widest possible band along the backline.
- It is advisable to practise using the gun with the aim of giving complete coverage from the base of the ears to the butt of the tail.

For further information contact Coopers Customer Service on 1800 226 511.

### WITHOLDING PERIODS

**MEAT: DO NOT USE less than 21 days before slaughter for human consumption.**

**MILK: DO NOT USE on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.**

**WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection.**


Use of this product may result in wool residues that may not comply with European Union environmental quality standards.

Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers.

### TRADE ADVICE

**EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 21 days before slaughter for export. The ESI on this label was correct at the time of label approval.**

Before using this product, confirm the current ESI from Coopers Customer Service on 1800 226 511 or the APVMA website ([www.apvma.gov.au/residues](http://www.apvma.gov.au/residues)).

	<b>UN No. 3018</b> <b>ORGANOPHOSPHORUS PESTICIDE,</b> <b>LIQUID, TOXIC, N.O.S. (9% DIAZINON,</b> <b>75% DIBUTYL PHTHALATE)</b> <b>Hazchem Code: 2X</b> <b>Packaging Group: III</b>
	In a transport emergency Dial 000 Police or Fire Brigade

### SAFETY DIRECTIONS

Product is poisonous if swallowed. Will irritate the eyes and skin. Repeated minor exposure may have an accumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing and using the prepared spray, wear protective waterproof clothing or wear cotton overalls buttoned to the neck and wrist, a washable hat, and PVC or rubber apron and elbow length chemical resistant gloves and water-resistant footwear. If clothing becomes contaminated with product, remove clothing immediately. If product on the skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

### FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact Poisons Information Centre (Phone Australia 131126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

### ADDITIONAL USER SAFETY INFORMATION

**SHEEP RE-HANDLING INTERVAL:** Two weeks. If the sheep must be rehandled during this interval, cotton overalls buttoned to the neck (or equivalent clothing) should be worn.

**Additional information is listed in the safety data sheet.**

### ENVIRONMENTAL PROTECTION

Do not contaminate dams, rivers, streams or other waterways with the chemical or used container.

### DISPOSAL

This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection or similar container management program site. The cap should not be replaced, but may be taken separately.

### STORAGE

Store below 30°C (room temperature). Store in original container, tightly closed in a dry place away from food, drink, domestic items and animals.

### Warranty

Intervet Australia Pty Limited (IAPL), trading as MSD Animal Health, warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.

### COOPERS ANIMAL HEALTH

Intervet Australia Pty Limited  
 (trading as MSD Animal Health)  
 91-105 Harpin Street,  
 Bendigo East VIC 3550  
 Phone: 1800 226 511

APVMA Approval No.: 86314/119067

### SEE BELOW FOR BATCH AND EXPIRY

- ® Registered trademark
- ® Yellow (PANTONE® 123) the predominant colour of Coopers packaging is a registered trademark. PANTONE is a registered trademark of Pantone, Inc.
- © Copyright 2019

GHS Information  
**May cause damage to organs through prolonged or repeated exposure. May damage fertility or the unborn child. Suspected of causing cancer.** May cause respiratory irritation. Do not eat, drink, or smoke when using this product. Very toxic to aquatic life with long lasting effects. For additional information refer to SDS ([www.coopersanimalhealth.com.au](http://www.coopersanimalhealth.com.au)).



**20 L**



203505 R8