



TEMPLATE FOR RELEVANT LABEL PARTICULARS (RLPs) (Veterinary Products)

Select appropriate:

New Product (include all applicable RLPs) OR

Variation (highlight instructions that are being varied). Approval no. of label being varied: **47611/500/1104**

Signal heading:	FOR ANIMAL TREATMENT ONLY							
Product name:	Coopers® Permatrace® 3 Year Cobalt Pellets for Sheep.							
Active constituent/s:	300g/kg Cobalt Oxide (Each 10 g pellet contains 3g cobalt oxide).							
Statement of claims:	For prevention and correction of cobalt responsive conditions in sheep for 3 years.							
Net contents:	500 Pellets							
Directions for Use Heading:	Directions for Use							
Restrains:	Not applicable							
Contraindications:	This product is contraindicated in lambs under 8 weeks old.							
Precautions:	Important: Do not use excessive force when dosing in order to avoid trauma and damage to the throat of the animal.							
Side effects:	Not applicable							
Dosage & administration:	<p>Sheep all ages - 1 pellet every 3 years.</p> <p>Preventive treatment:</p> <p>Adult sheep Dose as soon as convenient. Repeat dose on veterinary advice.</p> <p>Young sheep Dose as soon as convenient after 8 weeks of age.</p> <p>Corrective treatment:</p> <p>Sheep all ages Dose immediately. Repeat dose on veterinary advice.</p>							
General directions:	<p>Container Label Only:</p> <p>To be effective the pellet must be swallowed. It is recommended that pellets be administered using the Coopers® Sheep Pellet Applicator. It is important to carefully read the applicator use instruction leaflet enclosed in container before use.</p> <p>It is recommended that a steel grinder be administered when treating sheep with the combination of Permatrace pellets outlined in the table below. This will keep the surface of the cobalt pellet clean and active by preventing a coating building up on the surface of the pellet. Steel grinders are available from Coopers Animal Health.</p> <table border="1" data-bbox="459 1823 1401 1989"> <thead> <tr> <th>Situation</th> <th>Steel Grinder Recommended</th> </tr> </thead> <tbody> <tr> <td>Permatrace Cobalt only</td> <td>✓</td> </tr> <tr> <td>Permatrace Cobalt and Copper only</td> <td>✓</td> </tr> </tbody> </table>		Situation	Steel Grinder Recommended	Permatrace Cobalt only	✓	Permatrace Cobalt and Copper only	✓
Situation	Steel Grinder Recommended							
Permatrace Cobalt only	✓							
Permatrace Cobalt and Copper only	✓							

	<p>Permatrace Cobalt and Selenium only</p> <p>Permatrace Cobalt, Copper and Selenium</p>	<p>X</p> <p>X</p>
<p>Container Insert Only: COOPERS[®] SHEEP PELLETT APPLICATOR INSTRUCTIONS FOR USE</p> <p>Instructions relating to use of the COOPERS[®] SHEEP PELLETT APPLICATOR are outlined below. For safe and effective administration of COOPERS[®] PERMATRACE[®] sheep pellets and capsules, these instructions must be followed:</p> <p>Sheep Pellet and Capsule Applicator Instructions for Use:</p> <ol style="list-style-type: none"> To be effective, sheep pellets and capsules must be swallowed. It is recommended that pellets be administered using the COOPERS[®] SHEEP PELLETT APPLICATOR (See picture). <div data-bbox="719 759 1142 1005" data-label="Image"> </div> <ol style="list-style-type: none"> When loading the applicator, use slight pressure to pass each pellet underneath the plastic retaining tube into the base of the nozzle. Stretch the animal's head forward and insert the nozzle of the applicator into the side of the sheep's mouth and over the base of the tongue. Care should be taken to ensure the animal is not allowed to chew on the tube. The pellet should be deposited in the gullet, at the back of the tongue and the sheep observed for a short time to ensure the pellet has been swallowed. Tilting the animal's head slightly upwards will assist this operation (See picture of correct administration). <div data-bbox="647 1420 1222 1720" data-label="Image"> </div> <ol style="list-style-type: none"> Under no circumstances should undue force be applied if any obstruction to ejection of the pellets or capsules is encountered. Withdrawing the applicator slightly and re-positioning it correctly will ensure easy and safe pellet administration. 		
<p>Withholding Period/s:</p>	<p>Zero (0) Days.</p>	

Trade Advice:	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) Days
Safety Directions:	Not applicable
First Aid:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.
Additional user safety:	Not applicable
Environmental statements:	Not applicable
Disposal:	DISPOSE of empty container by wrapping with paper and putting in garbage.
Storage:	STORE below 30°C (Room Temperature). Store in original container in a safe place. Keep out of reach of children
Batch and Expiry	BATCH EXPIRY
Name & address:	COOPERS ANIMAL HEALTH Intervet Australia Pty Ltd 91-105 Harpin Road, Bendigo VIC 3550

The following is for APVMA use only:

APVMA approval no.	APVMA No: 47611/57549
--------------------	------------------------------