

Registered Product Name: Coopers Permatrace Copper 10 capsules for calves & adult cattle	Page 1 of 5
Pack Sizes:100 Capsules	Date (Version Control):23/12/2012
Description: Front Label	APVMA: 47689_55234_RLP_V3
Panel labels, text above the header and below the footer are not included in this label text.	

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY**

Coopers®
Permatrace®
COPPER 10



CAPSULES FOR CALVES AND ADULT CATTLE

ACTIVE CONSTITUENT : 390g/kg COPPER OXIDE (CuO)

Sustained release copper capsules for prevention and treatment of copper deficiency in cattle over 3 months of age. Each capsule contains 10g sustained release copper particles.

[PICTURE]

100 capsules

[Coopers logo]

Registered Product Name: Coopers Permatrace Copper 10 capsules for calves & adult cattle	Page 2 of 5
Pack Sizes: 100 capsules	Date (Version Control):23/12/2011
Description: Back Label	APVMA: 47689_55234_RLP_V3
Panel labels, text above the header and below the footer are not included in this label text.	

Coopers®
Permatrace®
C O P P E R 1 0
CAPSULES FOR CALVES
AND ADULT CATTLE

DIRECTIONS FOR USE:

Contraindications:

Not to be administered to cattle of unknown copper status or those treated with other sources of copper.

Not to be used in conjunction with selenium supplementation unless deficiency of both copper and selenium has been confirmed.

This product is contraindicated for use in cattle suffering from jaundice and other liver disorders such as liver fluke, or stock grazing plants containing toxic alkaloids, eg: Heliotrope, Ragwort, Patersons Curse (Salvation Jane).

This product is contraindicated for use in calves less than 3 months of age (ie: when rumen is developed).

Seek advice of veterinary or cattle husbandry specialist to ascertain copper deficiency and type of treatment required for cattle under consideration.

DOSAGE:

Important: DO NOT USE excessive force when dosing in order to avoid trauma and damage to the throat of the animal.

Calves, up to 200 kg (under 1 year old) - one capsule per head annually.

Adult cattle, over 200 kg - 2 capsules per head or 1 capsule of Coopers Permatrace Copper 20 annually.

WITHHOLDING PERIOD: Zero (0) days.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.

GENERAL INSTRUCTIONS

Unless corrective treatment is required immediately, the preferred time of treatment is late Winter or early Spring.

To be effective the capsule must be swallowed. It is recommended that capsules be administered using the Coopers® Cattle Pellet Applicator. It is important to carefully read the applicator use instruction leaflet enclosed in container before use.

In areas where liver fluke are endemic stock should be treated with a highly effective flukicide at least 3 weeks before dosing with this copper supplement.

For more information, call Coopers Customer Service on 1 800 226 511.

SAFETY DIRECTIONS: May irritate the eyes and skin. Avoid contact with the eyes and skin. Wash hands after use.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

Registered Product Name: Coopers Permatrace Copper 10 capsules for calves & adult cattle	Page 3 of 5
Pack Sizes: 100 capsules	Date (Version Control): 23/12/2011
Description: Back Label	APVMA: 47689_55234_RLP_V3
Panel labels, text above the header and below the footer are not included in this label text.	

SPECIALIST ADVICE IN EMERGENCY ONLY
COOPERS ANIMAL HEALTH
(Intervet Australia Pty Limited)
1800 226 511
ALL HOURS – AUSTRALIA WIDE

WARRANTY

Intervet Australia Pty Ltd (IAPL), also known as MSD Animal Health, warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by any act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.

DISPOSE of empty container by wrapping with paper and putting in garbage.

STORE below 30°C (Room Temperature). Store in original container in a safe place. Do not store for prolonged periods in direct sunlight. Keep out of reach of children.

BATCH:

EXPIRY:

COOPERS ANIMAL HEALTH

(Intervet Australia Pty Ltd)
91-105 Harpin St
Bendigo East Vic 3550

APVMA Approval No. 47689/55234

® Registered Trademark

® Yellow (Pantone® 123) the predominant colour of Coopers packaging is a registered trademark. Pantone is a registered trademark of Pantone, Inc.

© 2011

Registered Product Name: Coopers Permatrace Cobalt pellets for cattle	Page 4 of 5
Pack Sizes: common instruction applicator	Date (Version Control):23/12/2011
Description: Applicator instructions	APVMA: 47638 55234 RLP V3
Panel labels, text above the header and below the footer are not included in this label text.	

COOPERS® CATTLE PELLET APPLICATOR **INSTRUCTIONS FOR USE**


Instructions relating to use of the COOPERS® CATTLE PELLET APPLICATOR are outlined below. For safe and effective administration of COOPERS® PERMATRACE® cattle pellets and capsules, these instructions must be followed:

Cattle Pellet and Capsule Applicator Instructions for Use:

1. To be effective, cattle pellets and capsules must be swallowed. It is recommended that pellets be administered using the COOPERS® CATTLE PELLET APPLICATOR (See picture).



2. When loading the applicator, use slight pressure to pass each pellet underneath the plastic retaining tube into the base of the nozzle.
3. Immobilize the head of the animal. This is best carried out in a crush with a bail gate at the end.
4. Stretch the animal's head forward, open the animal's mouth and PASS THE GUN BARREL ALONG THE MIDDLE OF THE ROOF OF THE MOUTH AND OVER THE BASE OF THE TONGUE. The tongue may have to be pulled aside if it obstructs the applicator.
5. When the applicator is in the correct position (see picture) completely squeeze the trigger to release the pellets. The cattle should swallow these easily without distress. Holding the mouth closed, after the applicator has been withdrawn, may assist with swallowing.



Registered Product Name: Coopers Permatrace Cobalt pellets for cattle	Page 5 of 5
Pack Sizes: common instruction applicator	Date (Version Control):23/12/2011
Description: Applicator instructions	APVMA: 47638 55234 RLP V3
Panel labels, text above the header and below the footer are not included in this label text.	

6. Care should be taken when administering pellets to young cattle. The barrel may not need to be inserted as far as for adult cattle. NEVER FORCE THE APPLICATOR INTO THE MOUTH.
7. Under no circumstances should undue force be applied if any obstruction to ejection of the pellets or capsules is encountered. Withdrawing the applicator slightly and re-positioning it correctly will ensure easy and safe pellet administration.

For further information on use of the applicator, call Coopers Customer Service on 1800 226 511.

COOPERS ANIMAL HEALTH

Intervet Australia Pty Ltd
91-105 Harpin St
Bendigo East Vic 3550

APVMA Approval Numbers:

Coopers Permatrace Cobalt Pellets for Cattle: 47638/55230

Coopers Permatrace Copper 10 Capsules for Calves and Adult Cattle: 47689/55234

Coopers Permatrace Copper 20 Capsules for Cattle:47688/55232

Coopers Permatrace Selenium Pellets for Cattle: 47640/55237

® Registered Trademark

® Yellow (Pantone® 123) the predominant colour of Coopers packaging is a registered trademark. Pantone is a registered trademark of Pantone, Inc.

© 2011

[coopers logo]